

Rev.	Date	Description
A	04.12.19	Updated Proposal Plan
		Added Hedge 12

Legend:

- Category (A, A1, A2, A3)
- Those of high quality and value; in such a condition as to retain with new planting substantial contribution (a minimum of 40 years)


●

Category (C, C1, C2, C3)

Those of low quality and value; currently in adequate condition to retain with new planting substantial contribution (a minimum of 10 years ) or young trees with a stem diameter below 150mm

- Category (B, B1, B2, B3)
- Those of moderate quality and value; in such a condition as to make a significant contribution (a minimum of 20 years)

- Category (U)
- Those of a sub standard tree any species and aged less than 10 years and which should, in the current context, be removed for management



- AGE GROUPINGS
- Y = YOUNG
- MA = MIDDLE AGE
- M = MATURE
- OM = OVER MATURE
- V = VETERAN

○

4

○

7

○

8

○

5

- 1 EXISTING TREE CANOPY BASED ON DIMENSIONS GATHERED ON SITE IN 4 DIRECTIONS, NORTH, SOUTH, EAST AND WEST
- 2 ROOT PROTECTION ZONE BASED ON 12 TIMES THE (DBH) AT CHEST HEIGHT
- 3 TREE TAG NUMBER
- 4 TREE TO BE RETAINED
- 5 TREE TO BE REMOVED
- 6 TREE CATEGORY BASED ON BS:5837 2012 CRITERIA
- 7 DECIDUOUS TREE CANOPY
- 8 EVERGREEN TREE CANOPY
- 01 TABLES BS 5837-2012

Key

- TREE SURVEY BOUNDARY
- Hedgerows
- Hedgerows to be removed

Client:  
Rycroft Homes Ltd

Project:  
Tree survey for the proposed development at lands at the townlands of Commons West, Boycetown and Kilcock, (adjoining the existing Brayton Park Estate), Kilcock, Co. Kildare

Drawing Title:  
Tree Protection Plan - Brayton Park

Drawn By:	Checked By:	Date:	Scale:
HR	MG	24/06/19	1:1250@A1
Dwg. No.:	CAD File:	Issued For:	Rev.
BR-TS-003	BR-TS-002.DWG	Information	A

Unit 1A  
Enterprise Centre  
Ballysimon Road  
Limerick  
Ireland

Phone: +353 (0)1853082808  
Fax: +353 (0)61400321  
Email: info@arborcare.ie  
Web: www.arborcare.ie

ARBOR CARE

Logo

Design & Consulting

Notes

- Please refer to Table 1 'Brayton Park' when reading this plan.  
- Do not scale

- The above displays an example of a suitable protective barrier as recommended by BS: 5837 2012 *Trees in Relation to Construction*
- Standard scaffold poles
  - Uprights to be driven into the ground
  - Panels secured to uprights with wire ties and where necessary standard scaffold poles
  - Weld mesh wired to the uprights and horizontals
  - Standard clamps
  - Wire twisted and secured on the inside of fencing to avoid easy dismantling
  - Ground level
  - Approx. 0.6m driven into the ground

